

CLASS :  
 EXT :  
 DATE :

20 Jan 70

TO : AIG 7840; NFOIO FT. MEADE, MD;

FROM: NPIC

CONF:

INFO:

DEFERRED	PRIORITY	INITIALS
ROUTINE	OPERATIONAL IMMEDIATE	INITIALS

OUT69196

TO SEE ABOVE

INFO

CITE NPIC 7836

CONFIDENTIAL

COORDINATING OFFICERS

CONFIDENTIAL

REPRODUCTION BY OTHER THAN THE ISSUING OFFICE IS PROHIBITED. Copy No.  
 Signal Center Transmission Copy - DO NOT DETACH - Forward with Master

BUMPY ACTION (SEA) NPIC READOUT  
 (USE HEADER #24 IF CABLE IS TO BE SENT FLASH)

25X1

25X1

25X1

25X1

25X1

25X1

*mark*  
CONFIDENTIAL

CLASSIFICATION

PAGE 1 OF 3

UNIT: IEG/EGD/SEAB

DATE: 27 JAN 70

1  
CONFIDENTIAL

17 20 34

SECTION OF SECTIONS

1 14 25 32 43  
SUPIR:CA SER:000214 PRJ:BO MSN:Q00442 DTZ:700102H  
~~XXXX~~

DAY PHOTO. TOT 0820Z. CAMERA TYPE IS F415Y. REF. 12 RITS, SER.  
KT0015, DTG 032300Z JAN 70. PACOM NVN CPFL, ICOD 3 DEC 69. THIS  
MESSAGE SUPPLEMENTS/REFINES INFORMATION CONTAINED IN REF.

PART I. ~~MISSION HIGHLIGHTS~~  
NONE

PART II. SIGNIFICANT RESULTS  
~~NONE~~

B. NEW ITEMS

RELEASING OFFICER

AUTHENTICATING OFFICER

*#21*

CONFIDENTIAL

CLASSIFICATION

*#21*

CONFIDENTIAL

CLASSIFICATION

PAGE 2 OF 3

QUAN CHAU PET PRDS STR PUG (NEW)

31 44 52 54  
 CTY: VN 194850N1053416E INT: FCV CL W  
 39

14 27  
 URG: SLR: IFR: UTM: 48QWG596908

STA: OPR

DES: THE FACILITY IS LOCATED 12 NM WEST OF THANH HOA AT 19-48-50N

105-34-16E (UTM 48QWG596908) AND CONSISTS OF AT LEAST 30 PUG

STORAGE TANKS WITH AN ESTIMATED CAPACITY OF 25 METRIC TONS (MT)

EACH. HEAVY TREE COVER PRECLUDES IDENTIFICATION OF ADDITIONAL PUG

STORAGE TANKS. THE TOTAL ESTIMATED CAPACITY IS 750 MT.

MPR: AMS SERIES L7014, SHEET 6148-IV

LANG MOI PET PRDS STR (NEW)

31 44 52 54  
 CTY: VN 182747N1054152E INT: GCO CL W  
 39

14 27  
 URG: SLR: IFR: UTM: 48QWF736415

STA: OPR

RMK: THE FACILITY IS LOCATED IN LANG MOI (1) VILLAGE 12 NM SOUTH

OF VINH AT 18-27-47N 105-41-52E (UTM 48QWF736415). THE FACILITY

CONSISTS OF FOUR 25-MT POL TANKS, TWO PROBABLE 12-MT POL TANKS, AND

ONE PROBABLE 7-MT POL TANK. THE FOUR 25-MT TANKS ARE COVERED BY A

LATTICE FRAMEWORK WHICH APPEARS TO BE PART OF A HUT UNDER

CONSTRUCTION. IMMEDIATELY TO THE SOUTH OF THE FOUR 25-MT TANKS IS

A THATCH-ROOFED STRUCTURE WITH A POSSIBLE 25-MT POL TANK UNDER ITS

ROOF. A PERSONNEL TRENCH SYSTEM IS RUNNING THROUGH THE AREA AND

NUMEROUS 55-GALLON POL DRUMS ARE PRESENT WITHIN THE VILLAGE.

MPR: AMS SERIES L7014, SHEET 6145-IV

CONFIDENTIAL

CLASSIFICATION

CONFIDENTIAL

CLASSIFICATION

PAGE 3 OF 3

## C. CHANGE AND OB ITEMS

14 27  
 URG: SIR: IFR: UTM: 48QWF751602  
 STA: UKN  
 DES: THE STORAGE AREA, 2.8 NM SE OF VINH, IS BEING IMPROVED AND  
 POSSIBLY EXPANDED. THE AREA IS NOW PIPE SERVED AND HAS AN ESTIMATED  
 TOTAL UNDERGROUND STORAGE CAPACITY OF 530 MT CONTAINED IN FOURTEEN  
 25-MT PUG TANKS AND FIFTEEN 12-MT PUG TANKS. THE PIPE SYSTEM  
 SERVING THE AREA EXTENDS ABOVEGROUND FROM A TRANSFER POINT ON THE  
 EAST BANK OF THE SONG CA AT UTM WF748602 TO THE WEST SIDE OF ROUTE  
 1A AND THEN FOLLOWS THE ROUTE TO WF749602. FROM THIS POINT THE  
 LINE CROSSES TO THE EAST SIDE OF ROUTE 1A THROUGH A CULVERT AND  
 FOLLOWS THE EAST SIDE OF ROUTE 1A TO WF752603 WHERE IT TERMINATES.  
 THREE SERVICE LINES ARE EXTENDING FROM THE MAIN PIPELINE. TWO OF  
 THE SERVICE LINES, ONE ON THE SOUTHWEST AND THE OTHER ON THE  
 NORTHEAST SIDE OF THE STORAGE AREA, APPEAR TO END AT THE BASE OF A  
 HILL. THE PPS, CONNECTED TO THE PIPELINE BY A SERVICE LINE  
 BEGINNING AT WF751602 AND SUPPORTED BY THREE POL DRUMS, EXTENDS TO  
 THE TOP OF THE BUNKERED POL TANKS WHERE IT IS JOINED BY FLEXIBLE  
 HOISING TO THE FILLER CAPS OF THE TANKS. ANOTHER SERVICE LINE  
 BRANCHES OFF THIS LINE AND EXTENDS TO OTHER POL TANKS IN THE SAME  
 MANNER. RECENT EARTH-SCARRING INDICATES THAT MORE TANKS WILL BE  
 EMPLACED. APPROXIMATELY 1,000 55-GALLON POL DRUMS ARE STACKED  
 THROUGHOUT THE INSTALLATION. ONE CARGO TRUCK AND NUMEROUS PERSONNEL  
 ARE IN THE AREA. (REF, ITEM 012)

GFW:1 CARGO TRUCK

EOM

GP-1

CONFIDENTIAL

CLASSIFICATION